


texdecor

Acoustic and decorative solutions




ACOUSTIC
WALLCOVERING

SlimWall Downtown



B-s2, d0




α_W 0.25
NRC 0.35



Skyline ref. SLWD 9334

Kit of 2 similar panels






SlimWall Downtown District, SLWD 9336 04 21



District ref. SLWD 9336

Kit of 2 similar panels






SlimWall Downtown Midnight city, SLWD 9335 10 94



Midnight city ref. SLWD 9335

Kit of 2 panels








Street ref. SLWD 9333

Kit of 2 panels





Colours



10 51



11 32



05 47




05 12



05 83



05 89



11 21



11 56



04 05



05 76



04 73



04 92



10 94



04 33



04 21



04 50



10 28



12 01



10 72



02 18



02 44



06 13



13 05



07 45



10 63



11 78




02 82




Colorama actualisé
Colour range updated
Gama de colores actualizada

Installation



Ecoconception



Acoustic / PET 9 mm

Frequencies (Hz)	125	250	500	1000	2000	4000	αW	NRC
SlimWall Downtown Support béton / concrete substrate	0,04	0,08	0,13	0,34	0,63	0,94	0.25	0.30
SlimWall Downtown Support BA13 / BA13 Plasterboard / Cartón-yeso BA13	0,02	0,05	0,2	0,45	0,7	0,93	0.25 H	0.35

Caractéristiques - Description - Características

Matériau - Composition - Material	Feutre compact - Compact felt - Feltro compacto 100% de fibre polyester non feu - 100% fire-retardant polyester fibre - 100% fibras de poliéster ignífugo	
Poids - Weight - Peso	1,9 kg/m²	 Retrouvez toutes les informations Find more information Encuentra toda la información
Epaisseur - Thickness - Grosor	9 mm	
COV - VOC - COV	A+	
Résistance en milieu chloré (cotation sur 5) - Resistance in chlorinated environment (rating out of 5) - Resistencia en ambiente clorado (calificación de 5)	5 (NF EN ISO 105-N01)	
Lavabilité - Cleaning - Mantenimiento	Aspirateur - Vacuum - Aspiradora Chiffon humide - Damp cloth - Trapo húmedo Double face - Double-sided - Cinta adhesiva doble cara	
Réaction au feu - Flammability - Reacción al fuego	Euroclass B s2 d0	